# ROUES HOPE FORTUS 26 MOYEUX PRO4 RAYONS STANDARD

PRO4 — MOYEUX PRO 4 RAYONS COUDÉS

| | Références | Descriptions | | Prix Publics (€) | Poids (g) | Rayons G/D (mm) |
|---|---|---|---|---|---|---|
| 26" | HFW26F26P4STN | Roue Avant FORTUS 26 | Moyeu Pro4 32T NOIR | 210,00 | 921 | 259 / 262 |
| | HRW26F26P4STNSA | Roue Arrière FORTUS 26 | Moyeu Pro4 135mm 32T NOIR | 340,00 | 1046 | 262 / 259 |
| | HRW26F26P4STN150SA | | Moyeu Pro4 150mm 32T NOIR | 355,00 | 1058 | 261 / 261 |
| | HRW26F26P4STNZS | | Moyeu Pro4 Single-Speed 32T NOIR | 355,00 | 953 | 261 / 261 |
| 27.5" | HFW27F26P4STN | Roue Avant FORTUS 26 | Moyeu Pro4 32T NOIR | 210,00 | 966 | 271 / 273 |
| | HFW27F26P4STN11 | | Moyeu Pro4 110x15mm BOOST 32T NOIR | 210,00 | 1078 | 273 / 273 |
| | HRW27F26P4STNSA | Roue Arrière FORTUS 26 | Moyeu Pro4 135mm 32T NOIR | 340,00 | 1081 | 273 / 271 |
| | HRW27F26P4STN148SA | | Moyeu Pro4 148x12mm BOOST 32T NOIR | 340,00 | 1090 | 273 / 273 |
| | HRW27F26P4STN150SA | | Moyeu Pro4 150mm 32T NOIR | 355,00 | 1231 | 273 / 273 |
| | HRW27F26P4STNZS | | Moyeu Pro4 Single_Speed 32T NOIR | 355,00 | 1002 | 273 / 273 |
| 29" | HFW29F26P4STN | Roue Avant FORTUS 26 | Moyeu Pro4 32T NOIR | 210,00 | 1015 | 291 / 292 |
| | HFW29F26P4STN11 | | Moyeu Pro4 110x15mm BOOST 32T NOIR | 210,00 | 1127 | 291 / 292 |
| | HRW29F26P4STNSA | Roue Arrière FORTUS 26 | Moyeu Pro4 135mm 32T NOIR | 340,00 | 1130 | 292 / 291 |
| | HRW29F26P4STN148SA | | Moyeu Pro4 148x12mm BOOST 32T NOIR | 340,00 | 1139 | 292 / 291 |
| | HRW29F26P4STN150SA | | Moyeu Pro4 150mm 32T NOIR | 355,00 | 1280 | 292 / 292 |
| | HRW29F26P4STNZS | | Moyeu Pro4 Single_Speed 32T NOIR | 355,00 | 1199 | 292 / 292 |

Les roues FORTUS 26 Avant sont livrées avec les coupelles 15mm
Les roues FORTUS 26 Arrière avec moyeu 135mm sont livrées avec les coupelles QR 9mm & 12x142mm
Les roues FORTUS 26 Arrière avec moyeu 150mm sont livrées avec les coupelles 12x150mm & 12x157mm
Les roues FORTUS 26 Arrière avec moyeu Trial/Single-Speed sont livrées en serrage boulons de 10mm

Tous les moyeux sont disponibles en 6 couleurs d'anodisation: bleu, orange, noir, violet, rouge & argent

# JANTES HOPE FORTUS 26

JANTES

| | Références | Descriptions | | | Prix Publics (€) | Poids (g) | ERD (mm) |
|---|---|---|---|---|---|---|---|
| 26" | WHSP064 | Jante FORTUS 26 | 26" 32T | NOIRE | 125,00 | 520 | 537 |
| 27.5" | WHSP065 | Jante FORTUS 26 | 27.5" 32T | NOIRE | 125,00 | 545 | 562 |
| 29" | WHSP065 | Jante FORTUS 26 | 29" 32T | NOIRE | 125,00 | 580 | 600 |

Largeur de pneus recommandée: entre 2.25" et 2.5" | Pression maximale recommandée: 60 Psi / 4.1 Bar

hope

# HOPE TECHNOLOGY PRO 4 FRONT HUB ASSEMBLY

| ITEM No. | PART No. | DESCRIPTION | QTY. |
|---|---|---|---|
| 1 | HUB1009-22-24/28/32/36 | Pro 4 Front Hub Body 24/28/32/36H | 1 |
| 2 | HUB214S | Pro 2/EVO Front Bearing spacer Tube - Silver | 1 |
| 3 | OR20X3N | O-RING 20mm x 3mm | 1 |
| 4 | S6804 | Stainless Steel Bearing - S6804 2RS | 2 |
| 5 | HUB419 | QR Pro 4/EVO Front Conversion | 1 |
| 6 | HUB441 | 15mm Pro 4/EVO Front Conversion | 1 |
| 7 | HUB420 | 20mm Pro 4/EVO Front Conversion | 1 |
| 8 | OR17X1.5N | O-RING 17mm x 1.5mm | inc. with HUB419/HUB441 |
| 9 | HUB455 | Pro2/Evo Front Circlip (20mm) | inc. with HUB420 |
| 10 | HUB1009-17 | Pro 4 SP Front Hub Body 32H | 1 |

# HOPE TECHNOLOGY PRO 4 REAR HUB ASSEMBLY

| ITEM No. | PART No. | DESCRIPTION | QTY. |
|---|---|---|---|
| 1 | HUB1009-15-24/28/32/36 | Pro 4 Rear Hub Body 135 24/28/32/36H | 1 |
| 2 | HUB229S | Pro 4 Rear Disc Axle - Silver | 1 |
| 3 | S6903 | Stainless Steel Bearing - S6903 2RS | 2 |
| 4 | HUB536 (includes*) | Pro 4 Freehub Assembly 11spd Aluminium | 1 |
| 5 | HUB1009-18* | Pro 4 1mm Barrel Spacer | 1 |
| 6 | HUB1009-20S* | Pro 4 11spd Freehub Spacer - Silver | 1 |
| 7 | S17287* | 17 x 28 x 7 Bearing | 1 |
| 8 | 17287* | 17 x 28 x 7 Bearing | 1 |
| 9 | HUB535* | Pawl (set of four) | 1 |
| 10 | HUB515* | Pawl spring (set of four) | 1 |
| 11 | HUB1009-5* | Pro 4 Drive Side Seal | 1 |
| 12 | HUB519 | Pro 4 Non-drive seal | 1 |
| 14 | HUB470 | QR Drive-Side Spacer - Silver | 1 |
| 16 | HUB1009-56S | 12mm Drive-Side Spacer - Silver | 1 |
| 17 | HUB471 | X12 Drive-Side Spacer - Silver | 1 |
| 18 | HUB461N | QR Non Drive Side Spacer - Black | 1 |
| 19 | HUB1009-55N | 12mm Non Drive Side Spacer - Black | 1 |
| 20 | HUB463N | X12 Non Drive Side Spacer - Black | 1 |
| 21 | OR17X1.5N | O-RING 17mm x 1.5mm NITRILE | 1 |
| 23 | OR17X1N | O-RING 17mm x 1.5mm NITRILE | 1 |
| 24 | HUB1009-16 | Pro 4 SP Rear Hub Body 32H | 1 |

# HOPE TECHNOLOGY PRO 4 148 REAR HUB ASSEMBLY

| ITEM NO. | Part No. | DESCRIPTION | QTY. |
|---|---|---|---|
| 1 | HUB1009-34-28/32/36 | Pro 4 Rear Hub Body 148mm 28/32/36H | 1 |
| 2 | HUB1004-10S | Pro 4 148mm Rear Disc Axle - Silver | 1 |
| 3 | S6903 | Stainless Steel Bearing - S6903 2RS | 2 |
| 4 | HUB536 (includes*) | Pro 4 Freehub Assembly 11spd Aluminium | 1 |
| 5 | HUB1009-18* | Pro 4 1mm Barrel Spacer | 1 |
| 6 | HUB1009-20S* | Pro 4 11spd Freehub Spacer - Silver | 1 |
| 7 | S17287* | 17 x 28 x 7 Bearing | 1 |
| 8 | 17287* | 17 x 28 x 7 Bearing | 1 |
| 9 | HUB535* | Pawl (Set of four) | 1 |
| 10 | HUB515* | Pawl spring (Set of four) | 1 |
| 11 | HUB1009-5* | Drive Side Seal | 1 |
| 12 | HUB519 | Non-drive Side Seal | 1 |
| 13 | HUB471 | X12 Drive Side Spacer | 1 |
| 14 | HUB463N | X12 Non-drive Side Spacer | 1 |
| 15 | OR17X1.5N | O-RING 17mm x 1.5mm NITRILE | 1 |
| 16 | OR17X1N | O-RING 17mm x 1.0mm NITRILE | 1 |

# PRO 4 REAR SINGLE SPEED HUB ASSEMBLY

| ITEM No. | PART No. | DESCRIPTION | QTY. |
|---|---|---|---|
| 1 | HUB1009-37-32/36 | Pro 4 Rear Hub Body Trial/SS 32H | 1 |
| 2 | HUB1009-50S | Pro 4 Trial/SS Axle Bolt In - Silver | 1 |
| 3 | S6903 | Stainless Steel Bearing - S6903 2RS | 2 |
| 4 | HUB1009-18 | Barrel Spacer 1mm | 1 |
| 5 | HUB535 | Pawl (set of four) | 1 |
| 6 | HUB515 | Pawl spring (set of four) | 1 |
| 7 | HUB1009-36 | Pro 4 Freehub Trial/SS Steel | 1 |
| 8 | HUB1009-5 | Pro 4 Drive Side Seal | 1 |
| 9 | HUB1009-48S | Pro 4 Trial/SS Freehub Spacer - Silver | 1 |
| 10 | S17287 | 17 x 28 x 7 Bearing | 2 |
| 11 | HUB472 | 10mm Drive-Side Spacer - Silver | 1 |
| 12 | HUB519 | Pro 4 Non-drive Side Seal | 1 |
| 13 | HUB459N | 10mm Non-drive Spacer - Black | 1 |
| 14 | HUB439 | M10 Serrated Washer | 2 |
| 15 | M1040SS | M10 x 40 Cap Head Screw | 2 |
| 16 | HUB1009-49S | Pro 4 Trial/SS Axle 12mm - Silver | 1 |
| 17 | HUB1009-55N | 12mm Non Drive Side Spacer - Black | 1 |
| 18 | HUB1009-56S | 12mm Drive-side Spacer - Silver | 1 |
| 19 | HUB461N | QR Non-drive Side Spacer - Black | 1 |
| 20 | HUB470 | QR Drive Side Spacer - Silver | 1 |
| 21 | HUB463N | X12 Non-drive Side Spacer - Black | 1 |
| 22 | HUB471 | X12 Drive-side Spacer - Silver | 1 |

# Kits de conversion moyeux PRO 4

| Moyeux AVANT | Entraxes | Descriptions | | Références |
|---|---|---|---|---|
| PRO 4 | 100mm | 9X100mm QR (blocage rapide) | | HUB419 |
| | | 9X100mm traversant | | HUB443 |
| | | 12X100mm traversant | | HUB482 |
| | | 15X100mm traversant | | HUB441 |
| | | 15X110mm traversant | (convertit un moyeu standard 100mm) | HUB1009-14N |
| | | 20X110mm traversant | (convertit un moyeu standard 100mm) | HUB420 |
| | | 15X100mm traversant SRAM Torque O/S | | HUB485 |
| | | 15X110mm traversant SRAM Torque O/S | (convertit un moyeu standard 100mm) | HUB486 |
| | 110mm BOOST | 9X110mm QR (blocage rapide) | | HUB419 |
| | | 15X110mm traversant BOOST | | HUB441 |
| | | 15X110mm traversant BOOST SRAM Torque O/S | | HUB485 |
| | | 20X110mm traversant BOOST | | HUB494 |
| PRO 4 FATSNO | 135mm FDS | 9X135mm QR (blocage rapide) | | HUB475 |
| | | 15X135mm traversant | | HUB474 |
| | | 15X142mm traversant | (convertit un moyeu 135mm FDS) | HUB476 |
| | | 15X150mm traversant | (convertit un moyeu 135mm FDS) | HUB480 |

| Moyeux ARRIÈRE | Entraxes | Descriptions | | Références |
|---|---|---|---|---|
| PRO 4 | 135mm | 9X135mm QR (blocage rapide) | | HUB238 |
| | | 10X135mm traversant | | HUB239 |
| | | 10X135mm serrage boulons 10mm | (Axe + Coupelles + Boulons) | HUB240 |
| | | 12X135mm traversant | | HUB241 |
| | | 12X142mm traversant | (convertit un moyeu 135mm) | HUB242 |
| | | 12X148mm traversant | (convertit un moyeu 135mm) | HUB493 |
| | 148mm BOOST | 9X141mm QR (blocage rapide) | | HUB238 |
| | | 12X148mm traversant BOOST | (convertit un moyeu 148mm) | HUB242 |
| | 150mm | 12X150mm traversant | | HUB241 |
| | | 12X157mm traversant | (convertit un moyeu 150mm) | HUB242 |
| PRO 4 SB | 157mm Super BOOST | 12X157mm traversant Super BOOST | | HUB242 |
| PRO 4 DH 7Vitesses | 135mm DH | 12X135mm traversant | | HUB241 |
| | | 12X142mm traversant | (convertit un moyeu 135mm) | HUB242 |
| | 150mm DH | 12X150mm traversant | | HUB241 |
| | | 12X157mm traversant | (convertit un moyeu 150mm) | HUB242 |
| PRO 4 FATSNO | 170mm | 9X170mm QR (blocage rapide) | | HUB238 |
| | | 12X177mm traversant | (convertit un moyeu 170mm) | HUB242 |
| | 190mm | 9X190mm QR (blocage rapide) | | HUB238 |
| | | 12X197mm traversant | (convertit un moyeu 190mm) | HUB242 |
| PRO 4 Trial/Single-Speed | 135mm TRIAL/SS | 9X135mm QR (blocage rapide) | | HUB238 |
| | | 12X135mm traversant | | HUB241 |
| | | 12X142mm traversant | (convertit un moyeu 135mm) | HUB242 |

T: 02.98.20.07.50 E: info@hopefrance.com W: hopefrance.com